

JELD-WEN®

SECURESET FLAT ENTRANCE DOORSETS



DON'T LEAVE THE DOOR OPEN TO RISK

OPENING THE DOOR TO KEY MARKET SECTORS

JELD-WEN is the UK’s largest timber door manufacturer with decades of experience supplying new build and renovation projects in both public and private sector markets. Our expertise lies in handling complex and different specification doorsets to meet exact project requirements and customer needs, whether large or small. As part of the global JELD-WEN group, with factories spanning across Europe and USA, we are confident to have the product expertise and market knowledge to serve and deliver our customers with superior products.

We are an established manufacturer that you and your customers can rely on, both today and in the future. Our doorset products are developed to offer practical solutions for our customers and have undergone rigorous testing to ensure high quality and high performance. Our products are certified and accredited by independent third parties to ensure compliance to a high level of safety and performance. So you can rest assured that we are committed to creating beautiful and secure spaces for your end client.

Our range of doorsets are expertly crafted in our UK factory and delivered to sites across the UK. A nationwide sales and customer service team is on hand to help you along every step of your project.



We specialise in supplying into the following sectors:

PUBLIC SECTOR SOCIAL HOUSING



REFURBISHMENT & RENOVATION



CARE & RETIREMENT



APARTMENT SCHEMES



STUDENT ACCOMMODATION



CONTENTS

SECURESET FLAT ENTRANCE DOORSETS WITH OPTIONAL TOP & SIDE LIGHTS

Introduction	2
SecureSET	5
Specification	6
Door Designs	8
Top and side light configurations	9
Hardware	10
Important information	11
Sizing a doorset	12
Sustainability	14
Partnership approach	15





WHY CHOOSE THIS PRODUCT?

A dual certified solution with multiple glazing options to bring light into a home

SECURESET

FLAT ENTRANCE DOORSET WITH OPTIONAL TOP AND SIDE LIGHTS

The JELD-WEN SecureSET range is tailored to provide the perfect solution for both new and retrofit interior flat entrance applications. SecureSET doorsets are available in a wide range of standard and made to measure sizes, with the flexibility to include side and top light units into the frame. SecureSET flat entrance doorsets meet the requirements of Secured by Design. This is achieved through third party dual certification for fire, smoke and security performance, giving you confidence that our doorsets conform to building regulations.

The doorsets are available in a variety of designs and colour finishes to complement our ReadyFIT™ doorset range and other JELD-WEN doors in the project.

PRODUCT FEATURES:

- Made to measure options available to suit the specific requirements of your project.
- Bidirectionally fire tested including glazed screens with all hardware and glazing options.
- Glazing options include insulated and non insulated glass solutions.
- A wide range of high quality hardware options available, see page 33 for details.

DOOR COLOUR OPTIONS AVAILABLE

Moulded and paint grade doors are available in a range of standard colours or choose your own RAL colour (subject to MOQ).



Dark Red
RAL 3001



Sapphire Blue
RAL 5003



Forest Green
RAL 6028



Dusky Grey
RAL 7037



Slate Grey
RAL 7015



Black
RAL 9017



All SecureSET™ doorsets are independently tested and certified through the BWF Certifire and Certisecure schemes



Meets the requirements of PAS 24 and Secured By Design



STANDARD SPECIFICATION

1 HANDLE & CYLINDER

A satin silver handle and 3 star cylinder with thumb-turn.

2 HINGES

Three grade 13 fire & security rated hinges, in a choice of satin silver, polished silver or gold.

DROP DOWN SEAL

3 A Lorient LAS8001si concealed drop down seal.

COMBINED INTUMESCENT, SMOKE & ACOUSTIC PERIMETER SEALS

4

MULTI-POINT LOCK

5 Multi point hook lock

6 SECURITY CHAIN

7 VIEWER

Silver wide angled door viewer.

For a full list of hardware options, see page 10



DOOR DESIGNS

MOULDED PANEL



Bostonian Oakfield Arlington Atherton Cambridge Camden Rockport®

REAL WOOD VENEER

SELECTION RANGE



Linea Newark Ladder

FUSION White Oak FUSION Walnut

STANDARD RANGE



INLAY White Oak Koto

MATCHED RANGE



White Oak Ash Walnut



White Oak Walnut

PAINT GRADE



Paint Grade* Paint Grade Premium

Woodgrain finish Smooth finish

*Selected Ranges of doors are available in FD30 + FD60 excluding Paint Grade, please speak to your Account Manager

More information about JELD-WEN Doorsets can be found on our website
<https://www.jeld-wen.co.uk/products/interior-doorsets>

TOP AND SIDE LIGHT CONFIGURATIONS

30 minute fire rated and PAS24 approved side and top lights are available in multiple designs including full height and mid rail side light configurations to cater for your project requirements.

GLASS SPECIFICATION:

Side lights are supplied as modular units are complete with Pyroguard EI30 (fire integrity, insulated and laminated) glass to help limit heat radiation to the escape route in the event of a fire and ensure a high level of security performance, in line with building regulations.

Top light units are supplied as modular units with Pyroguard EW30 (fire integrity and laminated) glass as standard, which has been proven to meet the requirements for both fire and security performance. EI30 glass is optional.

All modular glazed units have been specially designed for easy removal of glass during installation. Glazed units are supplied partially glazed, with accompanying security screws and pre-piloted glazing beads for a quick and easy final fit.

Our modular doorset & glazed units are supplied with all the fixings required to complete the installation on site (excl. wall fixings).

DID YOU KNOW?

In accordance with Building Regulations, the glass in a side light between a dwelling and an escape route is required to be insulated to aid the safe evacuation in the event of a fire. Further guidance can be found in Approved Document B.



Left hand single side light Right hand single side light



Single top light Left hand single side light and top light Right hand single side light and top light



Side light with mid-rail Left hand single full length side light and top light Right hand single full length side light and top light

GLAZING FINISH OPTIONS

Glazed units are available in Clear, Opaque, Block Colour and Bevelled effect designs (Bevelled effect glass only available in EI30 glass options).

Side light units with a mid rail can have a combination of glazing finish options to suit your requirements.

Block colour options are available on request in a wider range of colour finishes to meet the requirements of your project.



Clear Opaque Block Colour Bevelled effect

HARDWARE

HINGES



1

LOCKS



2



3



4

HANDLES



5

OTHER



6




7



8



9



10



11



12



13

- 1 GRADE 13 HINGES (Polished or Satin)

2 MULTI POINT LOCK – 3 HOOK POINTS

3 3* TS007 SECURITY CYLINDER (Key/Thumb)

4 3* TS007 SECURITY CYLINDER (Key/Key)

5 BALMORAL LEVER HANDLES (Polished or Satin)

6 SPY VIEWER

7 SECURITY CHAIN

8 ACOUSTIC DROP DOWN SEAL
- 9 TS008 SECURITY LETTER PLATE (Polished or Satin)

10 ALUMINUM THRESHOLD PLATE (10mm or 5mm option)

11 FD30 SURFACE MOUNTED OVERHEAD CLOSER

12 FD30 CONCEALED OVERHEAD CLOSER

13 CONTEMPORARY DOOR KNOCKER (Polished)

ARCHITRAVE OPTIONS ACROSS ALL DOORSETS



1



2



3



4

- 1 OGEE (50 & 69mm)

2 TORUS (59mm)
- 3 TWICE ROUNDED (47 & 69mm)

4 OVOLO (69mm)

IMPORTANT INFORMATION

DELIVERY

JELD-WEN doorsets should arrive on site shortly before planned installation; this will avoid unnecessary damage through handling and general site conditions.

Products should be thoroughly checked when delivered to ensure no damage has occurred during transport.

Doorsets can be delivered in house plots, architraves and door stops are fully machined and packed with the door.



STORAGE

Doorsets should be stored in a cool, dry place and stacked level in a horizontal position with a sufficient gap below the stack to allow air circulation. Please note: do not store doorsets in buildings that are being plastered or have recently been completed.

DECORATION

If doors are supplied unfinished they should be decorated in accordance with British Standard Code of Practice BS6150: 2006 and BS8000 Part 5:1990. The stain or paint manufacturer's instructions must be followed.

All surfaces must be treated (sealed) at the same time to prevent distortion from moisture imbalance. A base coat paint primer is not a seal. MDF foil wrapped linings, architraves and side panels can be left unfinished, however, if you wish to decorate we recommend one coat of water based gloss or satin paint.

JELD-WEN internal joinery is NOT suitable for waxes, polishes, dyes and oils etc. Please refer to manufacturers instructions.

MAINTENANCE

All hardware should be lubricated on a regular basis to ensure smooth and correct functioning. JELD-WEN doorsets can be cleaned using a damp cloth, no abrasive materials should be used as this can damage the face of the door.



GUARANTEES

- 10 Year Guarantee MANUFACTURING

JELD-WEN doorsets have a 10 year guarantee against manufacturing defects.
- 5 Year Guarantee FACTORY FINISHED

Factory finishing has a 5 year guarantee providing regular maintenance has been given to the door.
- 1 Year Guarantee IRONMONGERY

Hardware comes with a 1 year guarantee.

For full terms and conditions along with further information on guarantees please visit our website: www.jeld-wen.co.uk/guarantees-maintenance


SIZING A DOORSET

SECURESET STRUCTURAL & CLEAR OPENING SIZES

Door Leaf Size Imperial / Metric		Overall Doorset Size (mm)		Structural Opening Size* (mm)		Clear Opening Width (mm)
		FD30 44mm 19mm Std. undercut		FD30 44mm		FD30 44mm
Height	Width	Height	Width	Height	Width	
1981mm (6'6")	762mm (2'6")	2032	832	2037	842	689
1981mm (6'6")	838mm (2'9")	2032	908	2037	918	765
1981mm (6'6")	864mm (2'10")	2032	934	2037	944	791
1981mm (6'6")	914mm (3'0")	2032	984	2037	994	841
Metric 2040mm	826mm	2091	896	2096	906	753
Metric 2040mm	926mm	2091	996	2096	1006	853

*Recommended structural opening sizes allows for a 5mm frame to wall gap, to be filled in accordance to the guidance contained within BS 8214. Larger frame to wall gaps may be permissible, providing that the guidance contained within the BS 8214 standard is followed.

SECURESET FD30 FRAME



For more information or help with
sizing your project please contact
ukcommercial@jeldwen.co.uk





PARTNERSHIP APPROACH

JELD-WEN will work with you and your customer to understand the project and your doorset requirements. From having competitive prices and -lead-times to delivering a full range of -timber doorsets with the highest technical performance without compromising environmental standards, quite simply JELD-WEN offers it all.

We collaborate with you to make your projects a reality – with a vast array of style and finish options, plus a wide range of durable hardware options. Although we specialise in volume manufacturing, many of our products can be bespoke and made to order so you can customise your doorsets to suit the project and client.

JELD-WEN have a specialist, UK-wide Account Management team who can help streamline the sales process from start to finish, so you benefit from one dedicated point of contact throughout the project. We also have a fully trained UK customer service team who can help provide solutions to your queries and ensure your projects are delivered on schedule and in budget.

If you have any enquiry, email us at ukcommercial@jeldwen.com

TAKING OUR RESPONSIBILITIES SERIOUSLY

JELD-WEN recognises the importance of a sustainable supply chain and we care about the future. That's why we continue to invest and promote the use of technologies and materials which help to minimise the impact on the environment.

Here are a few examples of our commitment to this sustainability journey:

- We have committed ourselves to more sustainable business practices and have adopted the ISO 14001 "Environmental Management Systems" Standard to maintain and ensure continual improvement of our environmental performance.
- All emissions from our operations are maintained within the standards required by local and national regulations.
- We work in partnership with our suppliers to ensure all of our timber is sourced in compliance with the EU Timber Regulations (EUTR)
- We operate a transport policy with the objective of reducing carbon emissions
- We have Forest Stewardship Council® (FSC®) certification which ensures responsible and ethical sourcing of timber. In addition, where FSC isn't available we have 'Programme for the Endorsement of Forest Certification' (PEFC) certification which also ensures responsible sourcing of timber. Look for the FSC & PEFC logo on our products.



Forest Stewardship Council® (FSC®) certification ensures responsible sourcing of timber. This is available on request and must be agreed prior to order. Look for FSC certified products.



Programme for the Endorsement of Forest Certification (PEFC) certification ensures responsible sourcing of timber. This is available on request and must be agreed prior to order.

- We work with suppliers to promote responsible and ethical conduct of their businesses. Additionally, we support local charitable and community causes.
- We have a programme of employee awareness, training and education across our business to ensure our commitment to sustainability is communicated and understood by our employees. We have a corporate ESG report which is available to download on our website.
- We recycle and reuse wood waste which goes to local farms to be used for animal bedding.





JELD WEN.

INTERIOR DOORSETS

0845 122 2891
ukcommercial@jeldwen.com

SEE MORE AT
JELD-WEN.CO.UK